



*RIDE OVER \_\_\_\_\_  
MUDDY  
& WET ROADS*

**Water Proof Battery  
Engineered for Indian Monsoon Conditions**



**MAKE YOUR RIDE  
FIRE SAFE...**

**India's First Oil Immersed Battery  
Intelligent Thermal Management  
Advanced BMS**




# DRIVE CONFIDENTLY WITH ATUL INTELLIGENCE (AI) CONNECTION...

24x7 Data Connection with Atul

Battery, Charger, Motor & Other Electrical Components CAN linked to Telemetry through Atul Intelligence (AI)

Remote Diagnosis & Preventive Maintenance

Over the Air Updates



**EXPERIENCE**  
**THE DIFFERENCE OF**  
**EUROPEAN**  
**TECHNOLOGY...**

**Thermalised Battery Pack for Extreme Weather Conditions**

**Advanced Telematics**

**Engineered in Europe**

**Connectors from Amphenol**


**Motor Drive for Valeo**

**Chargers from Delta Q**

**Trust & Reliability of European Engineering**  
**Designed & Tested in Europe**  
**Trouble Free Operations**



**CARRY ANY LOAD \_\_\_\_\_  
WITH UNBEATABLE  
STRENGTH....**



**FULLY  
METALLIC  
BODY**





**SPACIOUS DRIVER & PASSENGER CABIN**



**DUAL SUSPENSION**



---

*BEGIN THE JOURNEY OF  
**RELIABILITY,  
SAFETY & TECHNOLOGY**  
WITH ATUL ELECTRIC*

---

**ENERGIE**

**MOBILI**



---

**POWERFUL  
HEAD LIGHTS  
FOR SAFE NIGHT DRIVING**

---



---

**DIGITAL  
INSTRUMENT  
CLUSTER**

---

## TECHNICAL SPECIFICATIONS

VARIANTS	ATUL MOBILI	ATUL ENERGIE
	<b>Performance</b>	
Payload	350	500
Certified Range	110	195
Maximum Speed	45	45
Charging Time (0 to 80%)	4 hrs*	4 hrs*
Portable Charger	1.5 kW	3 kW
	<b>Battery Power Pack</b>	
Battery Type	Lithium-ion	Lithium-ion
Capacity	6.6 kWh	6.6 / 13.2 kWh
	<b>Specification</b>	
Seating Capacity	D+3	Driver
Steering System	Handle Bar	Handle Bar
Ground Clearance	190	215
Wheelbase	1950	2125
Turning Radius	2.65 m	3.50 m
Gradeability	19%	18%
Overall Length	2836	3350
Overall Width	1390	1510
Overall Height	1890	1700
Gross Vehicle Weight	766	995
Tyres	135/70 R12	4.50-10
	<b>Motor</b>	
Type	AC Synchronous Motor	AC Synchronous Motor
Power Peak	9.9 kW @ 4500 rpm	9.9 kW @ 4500 rpm
Torque Peak	44 Nm @ 2500 rpm	44 Nm @ 2500 rpm
	<b>Brake System</b>	
Front & Rear	Hydraulic	Hydraulic
	<b>Suspension System</b>	
Front	Fork Type With Double Helical Compression Coil Spring, Telescopic Hydraulic Shock Absorber	Anti Dive Leading Link With Dual Action Telescopic Hydraulic Shock Absorber Helical Compression Coil Spring
Rear	Trailing Arm, Helical Compression With Coil Spring Telescopic Shock Absorber	Trailing Arm, Helical Compression With Coil Spring Telescopic Shock Absorber
	<b>Technology</b>	
Battery Thermal Management System	Active Intelligent Cooling	Active Intelligent Cooling
Regenerative Braking	Efficient Energy Recovery	Efficient Energy Recovery
Vehicle Telemetry System	Atul Intelligence (AI) Platform	Atul Intelligence (AI) Platform
IP 67 Rated Components	Motor, Charger, Battery & All connectors	Motor, Charger, Battery & All connectors

**RIDE ON GAINS WITH  
ATUL ELECTRIC**

**LOW MAINTENANCE  
GREATER MILEAGE**



\*Conditions apply



### ATUL GREENTECH PVT. LTD.

Rajkot - Ahmedabad Highway, Bhayla,  
Ahmedabad -382220 | Gujarat | India  
CIN: U31909GJ2020PTC112350

[f](#) [@](#) atulgreentechpvtltd

**Mobile:** +91 7486001597

**E-mail:** Info@atulgreentech.co.in

**Web :** www.atulgreentech.co.in

Authorised Dealer